



GOVERNMENT SOLUTIONS

April 2011

Trade Agreements Act Requirement for Government Orders

U.S. DISTRIBUTION MANAGEMENT NOTICE

TO: U.S. registered and contracted channel partners and distributors (collectively referred to herein as "Partner") authorized by Avaya to resell Avaya's Enterprise Solutions products.

Summary of Changes

Effective immediately refer to the updated list of products that require GS coding for government orders – see Attachment 1.

DETAILS:

THE "GS" VERSION OF THE ATTACHED LIST OF PRODUCTS FOR ALL FEDERAL END USER ORDERS SUBJECT TO THE TRADE AGREEMENTS ACT OF 1979. Accordingly, all Avaya Government Solutions Inc GSA Schedule orders (GS-35F-4366G) and Avaya Federal Solutions Inc GSA Schedule Orders (GS-35F-0156V) for these products must be ordered with the appropriate code without exception. Further, Avaya is requiring Partners to order the TAA version of these products for all orders for any federal end user (including the Department of Defense). Additionally, all orders for any state term contracts that are based on either GSA Schedule contract must use these TAA versions of products. Failure to comply may result in noncompliance with the terms and conditions of the GSA Schedule contract and could result in termination of Partner's Schedule Partner Agreement. If you have any orders for non-compliant products pending, please notify Order Management/Distribution immediately to amend the orders to ensure complaint product is shipped. Also, if you have proposals out that include these TAA products, please notify Lesa Murphy, Director, Federal Contracts, immediately to ensure adequate production of the compliant products. In addition to the "GS" codes for the NES products, there are several other items that are TAA compliant versions as well that do not include the "GS" syntax in their code. See complete list – attachment 1.

Eligibility

Partner must be authorized by Avaya with a valid contract and have met the appropriate requirements to resell Avaya's Enterprise Solutions products included on the attachment.

Partners authorized to resell through the GSA Schedule must comply with this directive. Partners reselling through any federal or state contract with TAA language must comply with this directive.

Eligible Products

See Attachment 1.

Additional Information

For additional information, contact Lesa Murphy, Director, Federal Contracts, (703) 279-3735 phone, lesa.murphy@avayagov.com

Attachment 1

| Apr-11 | |
|---|--|
| FEDERAL TRADE AGREEMENT ACT COMPLIANT ALTERNATIVES - US FEDERAL GOVERNMENT | |
| <i>Order Number</i> | <i>Product Description</i> |
| AL4500A01-E6GS | Federal TAA Ethernet Routing Switch 4526FX with 24 100BaseFX ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |
| AL4500E01-E6GS | Federal TAA Ethernet Routing Switch 4526FX with 24 100BaseFX ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500A02-E6GS | Federal TAA Ethernet Routing Switch 4550T with 48 10/100 BaseTX ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |
| AL4500E02-E6GS | Federal TAA Ethernet Routing Switch 4550T with 48 10/100 BaseTX ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500A03-E6GS | Federal TAA Ethernet Routing Switch 4526T with 24 10/100 BaseTX ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |
| AL4500E03-E6GS | Federal TAA Ethernet Routing Switch 4526T with 24 10/100 BaseTX ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500A04-E6GS | Federal TAA Ethernet Routing Switch 4548GT with 48 10/100/1000 BaseTX ports and 4 shared SFP ports, plus HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. [RoHS compliant] (No power cord) |
| AL4500E04-E6GS | Federal TAA Ethernet Routing Switch 4548GT with 48 10/100/1000 BaseTX ports and 4 shared SFP ports, plus HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. [RoHS compliant] (N America power cord) |
| AL4500A05-E6GS | Federal TAA Ethernet Routing Switch 4524GT with 24 10/100/1000 BaseTX ports and 4 shared SFP ports (inc 100FX SFP support), HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |
| AL4500E05-E6GS | Federal TAA Ethernet Routing Switch 4524GT with 24 10/100/1000 BaseTX ports and 4 shared SFP ports (inc 100FX SFP support), HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500A06-E6GS | Federal TAA Ethernet Routing Switch 4526GTX with 24 10/100/1000 BaseTX ports and 4 shared SFP ports plus 2 10Gig XFP slots, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |
| AL4500E06-E6GS | Federal TAA Ethernet Routing Switch 4526GTX with 24 10/100/1000 BaseTX ports and 4 shared SFP ports plus 2 10Gig XFP slots, HiStack ports and RPS slot. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500A12-E6GS | Federal TAA Ethernet Routing Switch 4550T-PWR with 48 10/100 802.3af PoE ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |

| | |
|----------------|--|
| AL4500E12-E6GS | Federal TAA Ethernet Routing Switch 4550T-PWR with 48 10/100 802.3af PoE ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500E13-E6GS | Federal TAA Ethernet Routing Switch 4526T-PWR with 24 10/100 802.3af PoE ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500A13-E6GS | Federal TAA Ethernet Routing Switch 4526T-PWR with 24 10/100 802.3af PoE ports plus 2 combo 10/100/1000 SFP ports, HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |
| AL4500A14-E6GS | Federal TAA Ethernet Routing Switch 4548GT-PWR with 48 10/100/1000 802.3af PoE ports and 4 shared SFP ports, plus HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. [RoHS compliant] (No power cord) |
| AL4500E14-E6GS | Federal TAA Ethernet Routing Switch 4548GT-PWR with 48 10/100/1000 802.3af PoE ports and 4 shared SFP ports, plus HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. [RoHS compliant] (N America power cord) |
| AL4500A16-E6GS | Federal TAA Ethernet Routing Switch 4526GTX-PWR with 24 10/100/1000 802.3af PoE ports and 4 shared SFP ports, plus 2 10GE XFP slots, HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (No power cord) |
| AL4500E16-E6GS | Federal TAA Ethernet Routing Switch 4526GTX-PWR with 24 10/100/1000 802.3af PoE ports and 4 shared SFP ports, plus 2 10GE XFP slots, HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (RoHS compliant) (N America power cord) |
| AL4500A15-E6GS | Federal TAA Ethernet Routing Switch 4524GT-PWR with 24 10/100/1000 802.3af PoE ports and 4 shared SFP ports, plus HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (No power cord) |
| AL4500E15-E6GS | Federal TAA Ethernet Routing Switch 4524GT-PWR with 24 10/100/1000 802.3af PoE ports and 4 shared SFP ports, plus HiStack ports and RPS connector. Inc. Base Software License & 46cm stack cable. (N America power cord) |
| AL1001A11-E5GS | Federal TAA. Ethernet Routing Switch 5698TFD-PWR with 96 10/100/1000 IEEE 802.3af PoE ports, 6 shared SFP ports, 2 XFP ports, 1000W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord. |
| AL1001E11-E5GS | Federal TAA. Ethernet Routing Switch 5698TFD-PWR with 96 10/100/1000 IEEE 802.3af PoE ports, 6 shared SFP ports, 2 XFP ports, 1000W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). NA Power Cord |
| AL1001A12-E5GS | Federal TAA. Ethernet Routing Switch 5698TFD with 96 10/100/1000 ports, 6 shared SFP ports, 2 XFP ports, 300W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord |
| AL1001E12-E5GS | Federal TAA. Ethernet Routing Switch 5698TFD with 96 10/100/1000 ports, 6 shared SFP ports, 2 XFP ports, 300W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). NA Power Cord |
| AL1001A13-E5GS | Federal TAA. Ethernet Routing Switch 5650TD-PWR with 48 10/100/1000 IEEE 802.3af PoE ports, 2 XFP ports, 600W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord |
| AL1001E13-E5GS | Federal TAA. Ethernet Routing Switch 5650TD-PWR with 48 10/100/1000 IEEE 802.3af PoE ports, 2 XFP ports, 600W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). NA Power Cord |

| | |
|----------------|--|
| AL1001A14-E5GS | Federal TAA. Ethernet Routing Switch 5650TD with 48 10/100/1000 ports, 2 XFP ports, 300W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord |
| AL1001E14-E5GS | Federal TAA. Ethernet Routing Switch 5650TD with 48 10/100/1000 ports, 2 XFP ports, 300W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). NA Power Cord |
| AL1001A15-E5GS | Federal TAA. Ethernet Routing Switch 5632FD with 24 SFP ports, 8 XFP ports, 300W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord |
| AL1001E15-E5GS | Federal TAA. Ethernet Routing Switch 5632FD with 24 SFP ports, 8 XFP ports, 300W AC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). NA Power Cord |
| AL1001011-E5GS | Federal TAA. Ethernet Routing Switch 5698TFD-PWR with 96 10/100/1000 IEEE 802.3af PoE ports, 6 shared SFP ports, 2 XFP ports, 1000W DC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). [EUED RoHS 5/6 compliant]. DC connector inclu |
| AL1001012-E5GS | Federal TAA. Ethernet Routing Switch 5698TFD with 96 10/100/1000 ports, 6 shared SFP ports, 2 XFP ports, 300W DC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). [EUED RoHS 5/6 compliant]. DC connector included |
| AL1001013-E5GS | Federal TAA. Ethernet Routing Switch 5650TD-PWR with 48 10/100/1000 IEEE 802.3af PoE ports, 2 XFP ports, 1000W DC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). [EUED RoHS 5/6 compliant]. DC terminal block included |
| AL1001014-E5GS | Federal TAA. Ethernet Routing Switch 5650TD with 48 10/100/1000 ports, 2 XFP ports, 300W DC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). [EUED RoHS 5/6 compliant]. DC terminal block included |
| AL1001015-E5GS | Federal TAA. Ethernet Routing Switch 5632FD with 24 SFP ports, 8 XFP ports, 300W DC PS, 1.5 foot Stacking Cable., and Base Software License Kit (See Note 1). [EUED RoHS 5/6 compliant]. DC terminal block included |
| AL1001A03-E5GS | Federal TAA. Ethernet Routing Switch 5510-48T with 48 10/100/1000 ports plus 2 SFP ports and a 1.5 foot Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord. |
| AL1001E03-E5GS | Federal TAA. Ethernet Routing Switch 5510-48T with 48 10/100/1000 ports plus 2 SFP ports and a 1.5 foot Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). Includes North American Power Cord. |
| AL1001A04-E5GS | Federal TAA. Ethernet Routing Switch 5510-24T with 24 10/100/1000 ports plus 2 SFP ports and a 1.5 foot Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord. |
| AL1001E04-E5GS | Federal TAA. Ethernet Routing Switch 5510-24T with 24 10/100/1000 ports, plus 2 SFP ports and a 1.5ft Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). Includes North American power cord. |
| AL1001A05-E5GS | Federal TAA. Ethernet Routing Switch 5520-48T-PWR with 48 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports and a 1.5 foot Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord. |
| AL1001E05-E5GS | Federal TAA. Ethernet Routing Switch 5520-48T-PWR with 48 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports & 1.5ft Stacking Cable. Includes Base S/W Lic Kit (See Note 1). (EUED RoHS 5/6 compliant) Includes North American power cord. |

| | |
|----------------|---|
| AL1001A06-E5GS | Federal TAA. Ethernet Routing Switch 5520-24T-PWR with 24 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports and a 1.5 foot Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant) No Power Cord. |
| AL1001E06-E5GS | Federal TAA. Ethernet Routing Switch 5520-24T-PWR with 24 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports & 1.5ft Stacking Cable. Includes Base S/W Lic Kit (See Note 1). (EUED RoHS 5/6 compliant). Includes North American power cord. |
| AL1001A07-E5GS | Federal TAA. Ethernet Routing Switch 5530-24TFD Stackable Switch (24 10/100/1000BaseT ports, 12 shared SFP ports, 2 XFP 10 Gig ports & 1.5ft Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord. |
| AL1001E07-E5GS | Federal TAA. Ethernet Routing Switch 5530-24TFD Stackable Switch (24 10/100/1000BaseT ports, 12 shared SFP ports, 2 XFP 10 Gig ports & 1.5ft Stacking Cable. Includes Base S/W Lic Kit (See Note 1). (EUED RoHS 5/6 compliant). Includes Nth American pwr cord. |
| DS1404095-E5GS | Ethernet Routing Switch 8348GB module. 48 port SFP interface module. |
| DS1402001-E5GS | 8010 10 slot chassis. Includes chassis, dual backplane,two high-speed fan trays,RS232 cable for management console,rack mount kit,and cable guide kit. Requires at least one power supply,up to three power supplies supported. |
| DS1402002-E5GS | 8006 6 slot chassis. Includes chassis, dual backplane, high-speed fan tray,RS232 cable for management console,rack mount kit,and cable guide kit. Requires at least one power supply,up to three power supplies supported. |
| DS1402004-E5GS | 8010co 10 slot NEBS chassis. Includes chassis,fan trays,RS232 cable for management console,rack mount kit and cable mgmnt. Requires at least two 8004 or 8005 power supplies, up to three power supplies supported. Supports 8600 modules only. |
| DS1402007-E5GS | 8310 10 slot PoE chassis. Includes chassis, dual backplane,two fan trays,RS232 cable for management console,rack mount kit,and cable guide kit. Requires at least one 83XX power supply,up to three power supplies supported. |
| | Switch Fabric Modules |
| DS1404066-E5GS | 8692SF Switch Fabric/CPU to enable redundant terabit core configurations with factory-installed Enterprise Enhanced CPU Daughtercard. DS1404065 with a pre-installed DS1411025. |
| DS1404120-E5GS | Federal TAA. Ethernet Routing Switch 8695SF Switch Fabric/CPU to enable redundant terabit core configurations. One required with R/RS Modules, 2nd for load-sharing and redundancy. Operable with R/RS modules. Includes 1GB SDRAM and 2GB Compact Flash. |
| DS1404094-E5GS | Ethernet Routing Switch 8348GTX-PWR module. 48 port 10Base-T/100Base-TX/1000Base-T interface module with Power over Ethernet (PoE) support on all ports. |
| DS1404102-E6GS | Federal TAA. 8648GBRS Routing Switch Module. 48 port SFP (inc 100FX support) baseboard. (SFPs sold seperately). The 8648GBRS requires the use of the 8692SF. |
| DS1404110-E6GS | Federal TAA. 8648GTRS Routing Switch Module. 48 port autosensing 10BASE-T/100BASE-TX/1000Base-T Ethernet Layer 3 switching interfaces. The 8648GTRS is operable with the 8692SF only. |

| | |
|----------------|---|
| DS1404065-E5GS | Ethernet Routing Switch 8692SF Switch Fabric/CPU to enable redundant terabit core configurations. One required with R Modules, 2nd for load-sharing and redundancy. Operable with pre-E, E and M modules. Includes 256MB SDRAM and 64MB PCMCIA. |
| DS1404097-E6GS | Federal TAA. 8612XLRS 12-port 10GBase-X XFP Routing Switch Module baseboard (XFPs purchased seperately) . The 8612XLRS requires the use of the 8692SF. |
| DS1404109-E6GS | Federal TAA. 8634XGRS Routing Switch Module. Combination module with 2 port 10GBase-X XFP, 24 port SFP (inc 100FX support) and 8 port autosensing 10BASE-T/100BASE-TX/1000Base-T baseboard (XFPs and SFPs purchased seperately) . The 8634XGRS requires the |
| DS1404099-E5GS | Federal TAA. Ethernet Routing Switch 8394SF CPU/Switch Fabric module with 2 - 10 Gigabit Ethernet XFP slots - One switch fabric module required per Ethernet Routing Switch 8300 chassis. Note: Includes PCMCIA flash memory card. |
| DS1404118-E5GS | Federal TAA. Ethernet Routing Switch 8393SF CPU/Switch Fabric module with 256MB CPU Memory and 8 Gigabit Ethernet SFP slots - One required per Ethernet Routing Switch 8300 chassis. Note: Includes PCMCIA flash memory card. |
| DS1404093-E5GS | Ethernet Routing Switch 8348GTX module. 48 port Autosensing 10Base-T/100Base-TX/1000Base-T Ethernet interface module. |
| DS1404095-E5GS | Ethernet Routing Switch 8348GB module. 48 port SFP interface module. |
| DS1404100-E6GS | Ethernet Routing Switch 8308XL module. 8 port XFP 10G Ethernet Interface Module |
| NTYS03BFGS | 1120E IP Deskphone - Graphite with English keycaps no power supply (GSA) |
| NTYS05BFGS | 1140E IP Deskphone - Graphite with English keycaps no power supply (GSA) |
| NT5B04AAGSE5 | BCM Digital Trunk MBM (E1/T1) - GS |
| NT7B08AAGSE5 | BCM DSM16 MBM - 16 Digital Station Module - GS |
| NT7B09AAGSE5 | BCM DSM32 MBM - 32 Digital Station Module - GS |
| NT7B14AAGSE5 | BCM Expansion Unit with Standard PS - GS |
| NTC03100TGE6 | BCM450 6.0 Redundant Base System - GS |

| | |
|----------------|--|
| NTC06611GSE6 | BCM450 6.0 Redundant Base System and NA Power Cord Bundle - GS |
| NTC03100SGE6 | BCM450 6.0 Standard Base System - GS |
| NTC06601GSE6 | BCM450 6.0 Standard Base System and NA Power Cord Bundle - GS |
| NTC03110SGE6 | BCM450 Capacity Expansion Card - GS |
| NT9T6466BBGS | BCM50 6.0 Expansion North American Bundle - GS - Power Cord included |
| NT9T6566BBGS | BCM50 6.0 North American Base System Bundle -GS - Power Cord included |
| AL1001E06-E5GS | Federal TAA. Ethernet Routing Switch 5520-24T-PWR with 24 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports & 1.5ft Stacking Cable. Includes Base S/W Lic Kit (See Note 1). (EUED RoHS 5/6 compliant). Includes North American power cord. |
| AL1001A06-E5GS | Federal TAA. Ethernet Routing Switch 5520-24T-PWR with 24 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports and a 1.5 foot Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant) No Power Cord. |
| AL1001E05-E5GS | Federal TAA. Ethernet Routing Switch 5520-48T-PWR with 48 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports & 1.5ft Stacking Cable. Includes Base S/W Lic Kit (See Note 1). (EUED RoHS 5/6 compliant) Includes North American power cord. |
| AL1001A05-E5GS | Federal TAA. Ethernet Routing Switch 5520-48T-PWR with 48 10/100/1000 IEEE 802.3af Power over Ethernet ports plus 4 SFP ports and a 1.5 foot Stacking Cable. Includes Base Software License Kit (See Note 1). (EUED RoHS 5/6 compliant). No Power Cord. |
| NTYS03DEGS | IP Phone 1120E Graphite with English Keys without Power Supply (SIP) (GSA) |
| NTYS03SAGS | IP Phone 1120SA Secure Set Mode A Graphite w/ Eng Text Keys w/o PS |
| NTYS03SPGS | IP Phone 1120SA Secure Set Package (incl set, ps, and cord) |
| NTYS17SAGS | IP Phone 1120SA Secure Set Power Supply Adapter |
| NTYS05DEGS | IP Phone 1140E Graphite with English Keys without Power Supply (SIP) (GSA) |

| | |
|--------------|--|
| NTYS07DAGS | IP Phone 1165E - Graphite - Text Keys - SIP GSA - without PS |
| NTDU90BBGS | IP Phone 2001 (Charcoal with Bezel) GSA Telset with English keycaps, no PS |
| NTC06520GSE5 | NA BCM Expansion with Redundant PS & NA Power Cords - GS |
| NT8B25GSNAE6 | T7100 GS Telephone - Charcoal |
| NT8B25GSMAE6 | T7100 GS Telephone Charcoal |
| NT8B26GSNAE6 | T7208 GS Telephone - Charcoal |
| NT8B26GSMAE6 | T7208 GS Telephone Charcoal |
| NT8B26GSMBE6 | T7208 GS Telephone Platinum |
| NT8B27GSNAE6 | T7316E GS Telephone - Charcoal |
| NT8B27GSNBE6 | T7316E GS Telephone - Platinum |
| NT8B27GSMAE6 | T7316E GS Telephone Charcoal |
| NTDW40AAGS | Federal TAA IBM x3350 COTS Server |
| 700438815 | IP PHONE 9620 CHARCOAL GRY (TAA) |
| 700438823 | IP PHONE 9630 CHARCOAL GRY (TAA) |
| 700438856 | IP PHONE 9640 CHARCOAL GRY (TAA) |

| | |
|-----------|--------------------------------------|
| 700480833 | IP PHONE 9620L (TAA) |
| 700480841 | IP PHONE 9650 (TAA) |
| 700500320 | AVAYA VIDEO CAMERA 150 TAA COMP |
| 700500325 | AVAYA VIDEO CAMERA 200 TAA COMP |
| 700500326 | AVAYA 1050 VIDEO SYS TAA COMPLIANT |
| 700500334 | AVAYA 1040 VIDEO SYS TAA COMPLIANT |
| 700500345 | AVAYA 1030 VIDEO SYS TAA COMPLIANT |
| 700500356 | AVAYA 1020 VIDEO SYS TAA COMPLIANT |
| 700500367 | AVAYA 1010 VIDEO SYS TAA COMPLIANT |
| 700500646 | AVAYA VIDEO CAMERA 100 TAA COMP |
| 700500651 | AVAYA 1050 VIDEO CODEC TAA COMPLIANT |
| 700500656 | AVAYA 1040 VIDEO CODEC TAA COMPLIANT |
| 700500660 | AVAYA 1030 VIDEO CODEC TAA COMPLIANT |
| 700500664 | AVAYA 1010/1029 CODEC TAA COMPLIANT |
| 700500768 | AVAYA VIDEO CONF PHONE 1000 TAA COMP |

| | |
|-----------|--|
| 700501685 | AVAYA VIDEO CAMERA 300 TAA COMP |
| 700394711 | MM717 24 PORT DCP MEDIA MODULE RHS |
| 195249 | IP MEDIA PROC CIRCUIT PACK TN2302AP RHS |
| 700460538 | EM200 BRANCH EXPANSION UNIT |
| 700469273 | G430 MEDIA GATEWAY |
| 214822 | CIS G3CSI S8100 TO S8400 W/CARRLMNT G650 |
| 214823 | CIS G3CSI TO S8500/87XX W/PPN/EPN HWG650 |
| 214825 | CIS G3SI TO S8500/87XX W/CARR PLMNTSG650 |
| 214827 | APS G3R TO S8XXX W/CARR RPLMNT TO G650 |
| 216070 | S8400B SERVER & G650 MEDIA GATEWAY |
| 700394950 | G650 MEDIA GATEWAY RHS |
| 700397284 | G600/G650 TDM LAN CABLE KIT RHS |
| 700406135 | G650 AC/DC PWR SUPPLY 655A RHS |
| 700394703 | MM716 ANLG MEDIA MODULE 24 FXS RHS |
| 700439250 | MM710B E1/T1 MEDIA MODULE |

| | |
|-----------|-------------------------------------|
| 700394661 | MM711 ANLG MEDIA MODULE RHS |
| 700453889 | MM714B ANALOG 4+4 MEDIA MODULE |
| 700394794 | DS1 INTFC TN464HP RHS |
| 700447675 | S8300D SERVER |
| 700394729 | 24PT ANALOG LINE CP TN793CP RHS |
| 700394646 | 24PT DIGITAL LINE CP TN2224CP RHS |
| 700394497 | BUS TERMINATOR CP AHF110 RHS |
| 195250 | IPSI2 CP TN2312BP RHS |
| 195251 | C-LAN INTF CIRCUIT PACK TN799DP RHS |
| 203027 | VAL CIRCUIT PACK TN2501AP |
| 203071 | IP 320 MEDIA RESOURCE TN2602AP |
| 700407802 | G450 MP80 W/POWER SUPPLY |
| 700459498 | G450 POWER SUPPLY |
| 700393408 | FACILITY TEST CP TN771DP RHS |
| 700394471 | CO TRUNK TN747B RHS |

| | |
|-----------|-----------------------------------|
| 700381585 | TELSET 2420 DGTL VOICE DK GRY RHS |
|-----------|-----------------------------------|

| | |
|-----------|--------------------------------------|
| 700381999 | TELSET 2410 GLOBAL DGTL VCE TERM RHS |
|-----------|--------------------------------------|

The above listing is subject to change. To access the most current listing of TAA compliant alternative products, go to the Global Product and Pricing Catalog (GPPC), click on 'Download Price books,' select 'Data Unrestricted' under the 'MSRP WPP' heading and open the excel file 'ES-PL-UT-MSRP-WPP.xls' and scroll across to the tab entitled 'GSA'. If you require assistance locating the latest listing, please contact the AvayaGov GSA Schedule Office at 1-888-GSA-NTEL or send an email to

GSA4366G@avayagov.com.